


ALUMINIUM DOOR FRAME







OFC-1-130-160



OFC-1-160-195



OFC-2



OFC-3





INSTALLATION POST **DOUBLE GLAZED**



ALUMINIUM WALL PROFILE




SIZE 41 x 30 MM CLM-41

ALUMINIUM WALL PROFILE SINGLE GLAZED



ALUMINIUM GRID PROFILE SINGLE GLAZED




WIDTH 36 MM CLM-3612 VERTICAL



SIZE 36 x 38 MM CLM-3638

APPLICATION ONLY WITH MOUNTING PROFILES **CLM-3638**



WIDTH 36 MM CLM-3612 HORIZONTAL

ALUMINIUM CORNER PROFILE SINGLE GLAZED




SIZE 50 x 50 MM CLM-5050-90

ALUMINIUM GRID PROFILE
SINGLE GLAZED



WIDTH 30 MM CS-30-180-3,0-8-B - glass 8mm CS-30-180-3,0-10-B - glass 10mm





WIDTH 30 x 30 MM CS-30-90-3,0-8-B - glass 8mm CS-30-90-3,0-10-B - glass 10mm

ALUMINIUM DOOR FRAME FOR **DOUBLE GLAZED**



OFC-4S-DOUBLE



INSTALLATION POST

ALUMINIUM WALL PROFILE DOUBLE GLAZED



SIZE 34 x 100 MM CLM-3410-DOUBLE



SIZE 34 x 100 MM CLM-3410-G-DOUBLE

HINGES FOR ALUMINIUM FRAMES



HYDRAULIC HINGE



NTZ-500 NTZ-600

ACCESSORIES TO MAKE A **LOFT STYLE** WALL

GRID PROFILE

TAPE FOR GRID PROFILE

U PROFILE

NTZ-1000



CS-1902



CS-ACX-0.7-9-33



NLO-KP-2961

CGLASS OFFICE PATENTED SOLUTION

EASY AND FAST INSTALLATION

DRILLING AND MILLING NO NEEDED

TEMPLATE FOR HINGE FIXING NO NEEDED

HINGES ARE SLID ONTO THE FRAME SO EVERY HINGES WILL BE IN SAME AXIS UNIVERSAL DOOR DIRECTION - LEFT OR RIGHT DETERMINATION NO NEEDED

CONTACTS

- 044 744 1465
- myynti@hoset.fi
 - MiiA Rakennus Oy, Akerlundinkatu 11A, 33100 Tampere
- Open: by appointment
- Call center daily from 9:00 to 22:00



ALUMINUM SYSTEMS FOR OFFICE GLASS WALL