

# HOSSET



2025

warehouse programme  
**UNITY LIGHT**

# CONTENT


Key advantages of UNITY LIGHT doors	3
UNITY LIGHT DESIGN and CONTEMPORARY LIGHT milling types	6
UNITY LIGHT DESIGN model range	8
CONTEMPORARY LIGHT model range	20
NEW CLASSIC LIGHT model range	26
UNITY LIGHT skirting board	38
Sliding system for the UNITY LIGHT collection	39
Basic configuration	40
Standard sizes	41
Price list (warehouse program, skirting board, extender)	42
Price list for custom-made UNITY LIGHT doors	43
Price list for sliding systems	44
Examples of door calculations and delivery	45

# Key benefits of the UNITY LIGHT collection



## + COMPLANAR STRIPES

The faceplates are flush with the door leaf, which makes the door more elegant, without unnecessary recesses, and adds integrity to the design.




## + TELESCOPIC BOX

The standard door unit comes with a telescopic box and rear trim as standard, allowing doors to be installed with wall thicknesses in the most common range of 100-125 mm. If the wall thickness exceeds 125 mm, an extender is used.



## + ITALIAN FURNITURE

The door locks are equipped with a reliable magnetic lock and concealed hinges manufactured in Italy.



## + ECO-FRIENDLY PAINTS

High-quality, environmentally friendly paints and primers from the European manufacturer AKZONOBEL are used to paint the doors. After applying a special polymer primer, the doors are painted in two layers for a more reliable coating.



## + MOISTURE-RESISTANT MDF AND SOLID WOOD


The doors are made of a combination of solid wood and moisture-resistant MDF. We also offer skirting boards made of moisture-resistant MDF.



# UNITY LIGHT DESIGN



# Types of milling in the UNITY DESIGN and CONTEMPORARY LIGHT ranges



Used in models:

## UNITY LIGHT DESIGN

UD 7            UD 23

UD 8            UD 24

UD 9            UD 25

UD 13          UD 26

UD 14          UD 27

UD 19          UD 28

UD 20          UD 29

UD 21          UD 30

UD 22

## CONTEMPORARY LIGHT

CON LIGHT 4    CON LIGHT 7

CON LIGHT 5    CON LIGHT 8

CON LIGHT 6



Used in models:

## UNITY LIGHT DESIGN

UD 1            UD 12

UD 2            UD 13

UD 3            UD 14

UD 4            UD 15


UD 5            UD 16

UD 6            UD 17

UD 11          UD 18

## CONTEMPORARY LIGHT

CON LIGHT 9



Used in models:


## UNITY LIGHT DESIGN

UD 10

## CONTEMPORARY LIGHT

CON LIGHT 1    CON LIGHT 3

CON LIGHT 2



Used in models:

**UNITY LIGHT DESIGN**

UD 25            UD 28

UD 26            UD 29


UD 27            UD 30



Used in models:

**UNITY LIGHT DESIGN**

UD 10



Used in models:

**UNITY LIGHT DESIGN**

UD 7



model  
UD1



model  
UD2



model  
UD3

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



model  
UD 4



model  
UD 5



model  
UD 6

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



model  
UD 7



model  
UD 8



model  
UD 9

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



model  
UD 10



model  
UD 11



model  
UD 12


1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



model  
UD 13




model  
UD 14



model  
UD 15

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



model  
UD 16



model  
UD 17




model  
UD 18

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



model  
UD 19




model  
UD 20




model  
UD 21


1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



model  
UD 22




model  
UD23



model  
UD 24


1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



model  
UD 25




model  
UD 26




model  
UD 27

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



model  
UD 28



model  
UD 29



model  
UD 30

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the shipping time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



# CONTEMPORARY LIGHT





model  
CON LIGHT 1




model  
CON LIGHT 2




model  
CON LIGHT 3

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



model  
CON LIGHT 4



model  
CON LIGHT 5



model  
CON LIGHT 6


1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



model  
CON LIGHT 7



model  
CON LIGHT 8



model  
CON LIGHT 9


1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



CON LIGHT 10 model



CON LIGHT 11 model



CON LIGHT 12 model

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings (except for Con Light 11 and 12 models).
3. Con Light 11 model features a black aluminum canva and black fittings. External opening door leaf 40 mm, internal opening door leaf 45 mm.
4. Con Light 12 model - panel door leaf with black aluminum edge and black fittings. External and internal opening door leaf 45 mm.

# NEW CLASSIC LIGHT



---







model  
NC LIGHT 1.1



model  
NC LIGHT 1.2




model  
NC LIGHT 1.3

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



NC LIGHT 2.1 model



NC LIGHT 2.2 model




NC LIGHT 2.3 model

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



NC LIGHT 3.1 model



NC LIGHT 3.2 model




NC LIGHT 3.3 model

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



NC LIGHT 4.1 model



NC LIGHT 4.2 model




NC LIGHT 4.3 model

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



NC LIGHT 5.1 model




NC LIGHT 5.2 model





NC LIGHT 5.3 model

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



NC LIGHT <sup>model</sup> 6.1



NC LIGHT <sup>model</sup> 6.2



NC LIGHT <sup>model</sup> 6.3

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



model  
NC LIGHT 7.1



MILLING 7.1



MILLING 7.2



MILLING 7.3




model  
NC LIGHT 7.2




model  
NC LIGHT 7.3

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm.
4. **Please note!** Models NC LIGHT 7.1, 7.2, and 7.3 are not available in the size 600x2000 mm.
5. A telescopic extender is available for purchase in four sizes.



NC LIGHT 8.1 model




NC LIGHT 8.2 model




NC LIGHT 8.3 model

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



NC LIGHT 9.1 model




NC LIGHT 9.2 model



NC LIGHT 9.3 model

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



NC LIGHT 10.1 model



NC LIGHT 10.2 model




NC LIGHT 10.3 model

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



NC LIGHT 11.1 model




NC LIGHT 11.2 model



NC LIGHT 11.3 model

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



NC LIGHT 12.1 model



NC LIGHT 12.2 model




NC LIGHT 12.3 model

1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the shipping time is extended.
4. A telescopic extender is available for purchase in 4 sizes.



baseboard  
FLAT



baseboard  
MILLED

1. The baseboard is painted in a white base color, including the ends on both sides.
2. The length of the plank is 2050 mm, height 80 mm, thickness 12 mm.
3. Made of moisture-resistant material.
4. Comes complete with a mounting strip.



1. Doors are painted in white base color.
2. You can choose between white, black, or gray fittings.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.
4. See page 44 for the price list.

# BASIC CONFIGURATION



1. Doors are painted in white base color.


2. Hardware is available in white, black, or gray. Other hardware colors are available upon request. White sealant.

3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the 600x2000 mm size, the delivery time is extended.




4. Hafele is the supplier of Italian BONAITI locks in Ukraine.

5. The manufacturer reserves the right to make changes to the design of the product for the purpose of its improvement without prior notice to the customer.

**EXTERNAL OPENING**



**INTERNAL OPENING**



FRAME	HOLE	BOX	LIGHT OPENING
HxL	(H+51)x(L+82)	(H+41)x(L+62)	(H+1)x(L-18)
2000x600/700/800	2051x682 / 782 / 882	2041x662/762/862	2001x582 /682 / 782

FRAME	HOLE	BOX	LIGHT OPENING
HxL	(H+63)x(L+106)	(H+53)x(L+86)	(H+1)x(L-18)
S1 2012x600/700/800 S2 2000x576/676/776	2075x706/806/906	2065x686 / 786 / 886	2013x582 /682 / 782

**ATTENTION!**  
 The maximum height of the opening is H=2075 mm. At this height, the gap between the box and the opening is 34 mm, and the opening is covered with a 18 mm high face molding.

**ATTENTION!**  
 Covering the opening with a 18 mm high face molding.

## OUR CONTACTS:

 [myynti@hoset.fi](mailto:myynti@hoset.fi)

# HOSET

